ELSEVIER

Inorganic Chemistry Communications 1 (1998) 481–482

INORGANIC CHEMISTRY COMMUNICATIONS

Author Index of Volume 1

Aït-Haddou, H., 354
Abram, U., 141, 203, 213, 251, 389, 469
Aitken, D.J., 314
Akiba, M., 61
Alvarez-Larena, Á., 335
Amalberti, P., 23
Ananikov, V., 411
Apperley, D.C., 346
Arnold, P., 43
Arroyo, M., 273
Asali, K.J., 87
Azam, K.A., 402

Babich, J.W., 164, 209
Bachmann, C., 185
Balavoine, G.G.A., 354
Baran, Jr., J.R., 222
Barrett, S.A., 365
Barton, L., 365, 375
Baum, G., 80
Baum, J.C., 23
Baumann, F., 305
Beghetto, V., 246
Beletskaya, I.P., 411
Bergamini, P., 125
Bernès, S., 273
Beyer, L., 472
Bill, E., 39
Boersma, J., 295
Bookham, J.L., 309
Bortun, A.I., 206
Bortun, L.N., 206
Böttcher, R., 389
Bould, J., 365
Brenčič, J.V., 161
Brianzo, J.L., 273
Brook, M.A., 105
Brownless, A., 19
Bruce, M.I., 134
Brüggeller, P., 185
Burke, L.A., 421
Buschmann, H.-J., 292
Buschmann, W.E., 174
Butler, P., 343

Cai, L., 71
Campbell, C., 421
Capdevila, M., 466
Casas, J.S., 93
Castellano, E.E., 93
Ceccon, A., 15
Cecconi, F., 150
Chae, S.A., 284
Chambliss, C.K., 435
Chaudhuri, P., 39
Chessa, G., 246
Chondroudis, K., 55
Cindrić, M., 237
Claver, C., 295
Clearfield, A., 206
Clegg, W., 58, 466
Cleve, E., 292
Cohen, H., 46
Constable, E.C., 68, 80, 167
Cooke, P.A., 19, 375
Cotton, F.A., 1, 109, 195, 281
Couce, M.D., 93
Cox, P.J., 463
Coxall, R.A., 466
Cuevas, J., 372
Cunningham, D., 118, 421

D'Amato, R., 239
Damrau, W.-E., 424
Daniels, L.M., 1, 109
Daran, J.C., 354
Davies, J.E., 58
Davies, N.A., 346
Davies, S.C., 43
de Geest, D.J., 358
Del Guerzo, A., 339
Demeunynck, M., 339
de Rege, P.J.F., 197
Dilworth, J.R., 43, 469
Dinjus, E., 30, 131, 170
Dobson, G.R., 87
Doherty, S., 257
Drutkowski, U., 449
Dunbar, K.R., 475
Dunina, V.V., 12
Dunne, S.J., 167
Duran, J., 457
Durrant, M.C., 43

Ecclestone, T., 460
Elduque, A., 64
El Guaouzi, M., 335
Elsegood, M.R.J., 58
Eremenko, I.L., 411

Fackler, Jr., J.P., 51
Fallahpour, R.-A., 90
Fantin, G., 125
Farahbakhsh, M., 111
Farmer, J.M., 217
Femia, F.J., 209
Fenske, D., 80
Ferretti, A., 137
Filippou, A.C., 263
Fischer, R.D., 346, 424
Fischman, A.J., 164
Flörke, U., 39
Focci, N., 302
Fogagnolo, M., 125
Fukumoto, H., 225

Gallagher, J.F., 343
Gallucci, J.C., 446
Ganis, P., 15
García, G., 267
García, J.R., 206
García-Herbosa, G., 372
Ghilardi, C.A., 150
Gibson, T.L., 23
Gobetto, R., 239
Goldschmidt, Z., 118
Golovan', E.B., 12
González-Duarte, P., 466
Görls, H., 30, 131, 170
Gottlieb, H.E., 118
Govan, N., 228
Govindasamy, L., 152
Greatrex, R., 19, 375
Griffiths, D.V., 43
Gross, T., 128
Gualandi, L., 125

Haid, R., 185
Hamidi, M., 466
Han, Y., 71
Harris, R.K., 346
Harvey, I., 460
Haufe, M., 263
Haupt, H.-J., 39
Haushalter, R.C., 4
Hay, R.W., 228
Hayashi, H., 386
Heinemann, J., 431
Herrera, V., 197
Hess, M., 39
Hidai, M., 368
Hilditch, L., 469
Hillier, S., 164
Hofmann, P., 350
Hogarth, G., 257
Hollatz, C., 115
Horváth, I.T., 197
Horváth, O., 270
Hosmane, N.S., 101
Housecroft, C.E., 68
Howell, J.A.S., 118
Howie, R.A., 463
Hu, C., 382
Hughes, D.L., 43
Hughes, R.P., 197
Hui Bon Hoa, G., 439
Hursthouse, M.B., 402
Husson, H.-P., 314

Iida, T., 299
Isom, H.S., 222

Janssen, M.D., 295
Jelínek, T., 97, 179
Jia, H., 382
Johnston, L.A., 68
Jordan IV, G.T., 109
Jung, I., 427

Kabir, S.E., 402
Kaim, W., 305
Kako, T., 225
Kamenar, B., 237
Kanatzidis, M.G., 55
Kautz, J.A., 217
Kayan, A., 446
Kelly, P.F., 249
Kempe, R., 128
Kennedy, J.D., 19, 97, 179, 365, 375
Khan, M.A., 317
Kim, C., 427
Kim, Y., 375
Kim, Y.-H., 19
Kimoto, H., 325
Kirmse, R., 141, 203, 213, 389
Kirsch-De Mesmaeker, A., 339
Knör, G., 49
Kociok-Köhn, G., 263
Koelle, U., 395
Kögerler, P., 111
Köhler, T., 15
Köhn, R.D., 263
Kopeć, T., 182
Kopf, J., 346
Korobko, S.V., 328
Kotera, O., 10
Kozelka, J., 439
Kruis, D., 295
Kugita, T., 386
Kulke, T., 80
Kunert, M., 131
Kunkely, H., 7, 200, 398
Kuwata, S., 368

Elsevier Science S.A.

Ladogana, S., 87
Lagow, R.J., 222
Lahoz, F.J., 64
Lamb, E., 58
Lami, A., 137
Lang, H., 254
Langes, C., 185
Laurie, S.H., 460
Leban, I., 161
Le Husebo, T., 197
Leirer, M., 49
Leis, J.R., 93
Leschke, M., 254
Leßmann, F., 472
Lewiński, J., 182
Lhomme, J., 339
Lin, C., 23, 109
Lin, Y., 382
Liu, Z., 382
Lledós, A., 466
Longridge, J.J., 58
López, G., 267
López, J., 64
Lovatt, J.D., 118
Low, J.N., 463
Ly, T.Q., 143

Mabbs, F.E., 143
Macikenas, D., 23
Mahmoud, H., 71
Maimon, E., 46
Maimone, E., 118
Maletin, Y.A., 328
Malik, K.M.A., 402
Manning, A.R., 343
Manoli, F., 15
Marek, J., 418
Maresca, K.P., 209
Marti, N., 439
Martin, C.R., 435
Matković-Čalogović, D., 237
Matsukawa, S., 368
Matsumoto, K., 325
Matteoli, U., 246
Mayoral, E., 273
McArdle, P., 118, 421
McGlinchey, M.J., 105
McGrath, T.D., 97
McInnes, E.J.C., 143
Medici, A., 125
Melter, M., 254
Meyerstein, D., 46
Midollini, S., 150
Mikami, K., 10
Mikuriya, M., 225
Miller, J.S., 174
Mindiola, D.J., 475
Mitchenko, S.A., 411
Mochida, K., 289
Modec, B., 161
Moldes, I., 335
Monari, M., 302
Mori, W., 177
Motoyama, Y., 10
Moyer, B.A., 435
Mukhopadhyay, U., 152
Mülhaupt, R., 431
Mullica, D.F., 217
Muraida, A., 392
Murga, L.F., 137
Murillo, C.A., 1, 109, 281

Nagano, S., 289
Nefedov, S.E., 411
Nervi, C., 239
Neuburger, M., 90
Nguyen-Huy, D., 314
Nicholas, K.M., 317
Nishitani, C., 325
Nordlander, E., 302
Novosad, J., 418

Oberhauser, W., 185
Odom, M.A., 435
Oehme, H., 128
O'Keefe, B.J., 147
Okeya, S., 325
Oki, A.R., 101
Okuda, J., 431
Ondrechen, M.J., 137
Ongeri, S., 314
Orlandini, A., 150
Oro, L.A., 64
Ortner, K., 251, 469
Osella, D., 239
Otto, S., 415
Ouyang, X., 475

Paolucci, G., 424
Papadimitriou, C., 418
Parchment, K.E., 228
Parr, J., 159
Pasch, R., 395
Pascual, I., 1
Persson, R., 302
Petrukhina, M.A., 195
Petrushkina, E.A., 284
Piniella, J.F., 335
Podlaha, J., 332
Polo, A., 457
Prater, M.E., 475
Prestopino, F., 302
Protasiewicz, J.D., 23
Purcell, W., 415

Ramírez de Arellano, M.C., 267
Ramjoie, Y., 443
Rath, N.P., 365, 375
Ravera, M., 239
Ravikumar, K., 152
Rawson, J.M., 58
Ray, D., 152
Real, J., 457
Rehder, D., 111
Ren, T., 23
Rheinwald, G., 254
Richards, R.L., 43, 273
Richardson, C., 260
Richter, R., 472
Rieder, A., 185
Rillema, D.P., 27
Rius, J., 273
Roodt, A., 415
Ros, J., 335
Rose, D.J., 4, 164
Ross, A.T., 159
Rufete, A., 267
Ruiz, N., 295
Russo, M.V., 239

Sánchez, A., 93
Sánchez, G., 267
Santana, M.D., 267
Santi, S., 15
Sasaki, I., 354
Sasaki, Y., 61
Schier, A., 115
Schleis, T., 431
Schmidbaur, H., 115
Schmidt, H., 111
Schollmeyer, E., 292
Scrivanti, A., 246
Segal, B.M., 71
Seidelmann, O., 472
Shea, S.L., 97
Shen, E., 382
Shim, S.-C., 284
Shizuka, T., 325
Siebel, E., 346, 424
Skelton, B.W., 134
Slawin, A.M.Z., 143, 159, 249, 418
Smit, J.P., 87
Snaith, R., 58
Sola, E., 64
Sordo, J., 93
Spaniol, T.P., 431
Štíbr, B., 97, 179
Stampfl, T., 185
Stange, A., 305
Staples, R.J., 51
Steel, P.J., 147, 260, 358
Štěpnička, P., 332
Stradiotto, M., 105
Straub, B.F., 350
Strauch, P., 389, 449
Strauss, S.H., 435
Suárez-Gimeno, M.I., 93
Sun, Y., 382
Symons, M.C.R., 460

Taboada, C., 93
Taiwo, F.A., 460
Takamizawa, S., 177
Tamura, J., 386
Tanaka, M., 10
Tatehata, A., 392
Taura, T., 77
Tesmer, M., 402
Thornton Pett, M., 19, 97, 179, 375
Torrens, H., 273
Torres, F., 64
Trotzki, R., 30
Tulokhonova, I.S., 379

Ujaque, G., 466

Vahrenkamp, H., 402
van Eldik, R., 46
van Koten, G., 295
van Zyl, W.E., 51
Varzatskii, O.A., 328
Velmurugan, D., 152
Veltsistas, P., 418
Venzo, A., 15
Vergne, F., 314
Vicentini, B., 246
Villani, G., 137
Viossat, B., 314
Vogler, A., 7, 49, 200, 270, 398
Voigt, A., 141, 203, 213, 389
Voloshin, Y.Z., 328
Voronkov, M.G., 379
Vrdoljak, V., 237

Wagner, T., 443
Wakasa, M., 386
Wang, E., 382
Wang, X., 281
Wang, Y., 27
Wardell, J.L., 463
Waring, K.W., 249
Warren, C.J., 4
Wenzel, B., 449
Wesemann, L., 443
Weyhermüller, T., 39
Wheatley, A.E.H., 58
White, A.H., 134
Wiegeleben, P., 131
Winkler, U., 317
Wojcicki, A., 446
Woollins, J.D., 143, 418

Xie, W., 71
Xing, Y., 382
Xu, L., 382

Yamagishi, T., 299
Yamaguchi, K., 177
Yamaguchi, M., 299

Zachara, J., 182
Zaitseva, N.N., 134
Zanon, J., 424
Zehnder, M., 90
Zevaco, T.A., 30, 170
Zhang, H., 101
Zilbermann, I., 46
Zubieta, J., 4, 164, 209
Zukerman-Schpector, J., 93

ELSEVIER

Inorganic Chemistry Communications 1 (1998) 483–494

INORGANIC CHEMISTRY COMMUNICATIONS

Subject Index of Volume 1

Acetylacetonate complexes
cyclometallated compounds. XII. Syntheses of two new doubly-cyclometallated compounds, 358
Acyl complexes
synthesis and molecular structure of $[Fe_2(CO)_3\{\mu\text{-}\eta^1,\eta^2,\eta^1,\eta^1\text{-}OC\text{–}C(Ph)\text{=}CH_2\}(\mu\text{-}PPh_2)(\eta^2\text{-}dppe)]$ a π-bound α,β-unsaturated acyl complex, 257
Addition reactions
atom addition and insertion reactions of $(MeCp)_2Ta(H)CO$ with sulfur, tellurium, carbonyl sulfide and carbon disulfide, 317
Adenate ligands
a quadruply-bonded dirhenium complex bridged by two N^1/N^6 adenate ligands, 475
Agostic interactions
further study of the agostic molecule, $TiCl_3(dmpe)C_2H_5$, 195
Alkali earth metal salts
synthesis and characterization of calcium, strontium and barium 1′-(diphenylphosphino)ferrocenecarboxylates, 332
Alkane hydroxylation
syntheses of mixed-ligand ruthenium(II) complexes with a terpyridine or a tris(pyrazolyl)methane and a bidentate ligand: their application for catalytic hydroxylation of alkanes, 299
Alkenes
photoreduction of mercury(II) in aqueous solution in the presence of cyclohexene. Hydroxomercuration and two-stage photolysis, 270
Alkyl complexes
the chemistry of 1,3,5-triazacyclohexane complexes, 7. Synthesis and structure determination of ethyl(-1,3,5-tribenzyl(-1,3,5-triazacyclohexane))zinc(II)-hexafluorophosphate, 263
Alkyne complexes
dicobalt cluster-functionalized 2,2′:6′,2″-terpyridine ligands: ruthenium(II) complexes with covalently linked $C_2Co_2(CO)_6$ units, 68
hydrogenation and isomerization reactions in the addition of carboxylic acids containing alkyne or alkene groups to $RuClH(CO)(PPh_3)_3$, 335
Alkynylacetal complexes
synthesis and characterisation of alkynylacetal and alkynylaldehyde derivatives of Ni(II) and Fe(II); the X-ray crystal structure of $Ni(\eta^5\text{-}C_5H_5)(PPh_3)C\equiv CCH(OEt)_2$, 343
Alkynylaldehyde complexes
synthesis and characterisation of alkynylacetal and alkynylaldehyde derivatives of Ni(II) and Fe(II); the X-ray crystal structure of $Ni(\eta^5\text{-}C_5H_5)(PPh_3)C\equiv CCH(OEt)_2$, 343
Alkynylsilane complexes
can metal clusters assist silicon migrations? An NMR spectroscopic and X-ray crystallographic study, 105
Allenyl complexes
an unusual reaction of $Rh(SbPh_3)_3(CO)Cl$ with propargyl halides: the formation of rhodiacyclopent-3-ene-2-one complexes, 446
Aluminum complexes
synthesis and structure characterization of the trinuclear $[AlMe_2]_2$-$[(OCH_2C_6H_4\text{-}2\text{-}NH)_2AlMe]$ complex derived from $AlMe_3$ and 2-(hydroxymethyl)aniline, 182
Amide complexes
synthesis, structure and high catalytic activity in the Diels–Alder reaction of ytterbium(III) and yttrium(III) bis(trifluoromethanesulfonyl)amide complexes, 10
Amino arenethiolate ligands
highly selective hydrocarboxylation of styrene with oxalic acid or water using palladium *ortho*-amino arenethiolates with intramolecular coordinating nitrogen Lewis bases, 295
Amino complexes
base-catalyzed dehydrogenation of palladium(II) amino to imino complexes, 372
Anion-exchange methodology
rapid and selective redox-recyclable anion-exchange materials containing polyalkylated ferricenium anion-exchange sites, 435
Anionic complexes
$[Ce(PSe_4)_4]^{9-}$: a highly anionic Ce^{3+} selenophosphate coordination complex, 55
Annelated terpyridine complexes
new annelated 2,2′:6′,2″-terpyridines and their Ru(II) complexes: synthesis and characterisation, 354
Antimony complexes
macrobicyclic iron(II) oximehydrazonates and α-dioximates formed by capping with antimony(V) triorganyles: the first synthesis of antimony-containing clathrochelates, 328
[(μ-fluoro)bis{(triphenyl)(*p*-tolyl)antimony}] iodide, 463
Arenealkyl cations
hydrogen exchange reactions in the course of electrophilic addition to Cp^*Ru(*exo*-methylenecyclohexadienyl) complexes, 395
Aromatic chlorides
hydrodehalogenation of aromatic chlorides with $NaBH_4$ in the presence of Ni(0) catalysts, 246
Arsenate compounds
direct hydrothermal synthesis of zirconium phosphate and zirconium arsenate with a novel basic layered structure in alkaline media, 206
Aryl complexes
[(μ-fluoro)bis{(triphenyl)(*p*-tolyl)antimony}] iodide, 463

Barium complexes
triangular barium macrocyclic complex encapsulating perchlorate ions, 90
Benzylamine complexes
the unprecedented transformation of a sterically crowded cyclopalladated secondary benzylamine including $(sp^3)C\text{–}C(sp^3)$ bond activation under mild conditions, 12
Bifunctional complexes
a new bifunctional *para*-toluenesulfonamidophenanthroline-aminoquinoline ligand. Synthesis and characterisation of the corresponding Ru(II) complex, 339
Bile acid derivative complexes
new chiral diphosphines by ketalization of bile acid derivatives: synthesis and chelating properties, 125

Elsevier Science S.A.

Bipyrimidine complexes
novel dinuclear manganese(II) complexes with monocapped trigonal prism geometries: implication of Mn–Mn distance on the catalase activity of dinuclear manganese center, 225
Boron-sulfur compound
macropolyhedral boron-containing cluster chemistry. An interesting angular change in relative subcluster orientation in the oxidative protonation of $[S_2B_{17}H_{18}]^-$ to $[S_2B_{17}H_{17}]$, 179
Borophosphate compounds
the first oxometalate borophosphate polyanion: hydrothermal synthesis and structure of $(H_3NCH_2CH_2NH_3)_2[Na(VO)_{105}] \cdot 22.5H_2O$, 4
Bovine serum albumin
inversion of stereoselectivity in the association between tris(oxalato)cobaltate(III) and bovine serum albumin by the addition of dioxane to aqueous solutions, 77

C–C bond activation
the unprecedented transformation of a sterically crowded cyclopalladated secondary benzylamine including $(sp^3)C–C(sp^3)$ bond activation under mild conditions, 12
C–C coupling
synthesis and structure of $[Pt(CH{=}CI–CH_2OCH_3)_2(I)_2]$ as possible intermediate of catalytic alkynes conversion reaction into diiodo-substituted dienes, 411
C–F bond activation
C–F bond activation in perfluorobenzothiolate compounds of Os(III). X-ray structures of $[Os(SC_6F_4(F\text{-}2))(SC_6F_5)_2(PMe_2Ph)_2]$, $[Os(SC_6F_5)_2(o\text{-}S_2C_6F_4)(PMe_2Ph)]$ and $[Os(C_6F_5)_2(o\text{-}S_2C_6F_4)(PMe_2Ph)_2]$, 273
Carbamidine complexes
N-(diethylaminothiocarbonyl)ferrocenecarbimidoyl chloride, a versatile reagent, 472
Carbimidoyl chlorides
N-(diethylaminothiocarbonyl)ferrocenecarbimidoyl chloride, a versatile reagent, 472
Carbon dioxide
a metal-assisted conversion of CO_2 and imidazole to carboxylate: synthesis and structural characterisation of the zinc carboxylate {bis(1-methyl-2-imidazolecarboxylato)(1-methylimidazole)}-zinc(II), $[Zn(1\text{-}Me\text{-}2\text{-}Imc)_2(1\text{-}MeIm)]$, 30
Carbonyl complexes
optical metal-to-ligand charge transfer in ethylxanthato-(tetracarbonyl)rhenium(I), 49
fast non-dissociative *cis*-to-*trans* isomerization in the *cis*-$(P(O\text{-}i\text{-}Pr)_3)_2Cr(CO)_4$ intermediate, 87
the effect of fluorine, trifluoromethyl and related substitution on the donor properties of triarylphosphines towards $[Fe(CO)_4]$, 118
an unusual ready inversion of sp^3 skeletal carbon in an organometallic complex, 309
photoluminescence of 8-quinolinato(tetracarbonyl)rhenium(I), 398
structure and bonding in some derivatives of $(\eta^4$(norbornadiene)-$Fe(CO)_3$, 421
preparation of dendritic carbosilanes with peripheral ethynyldicobalt hexacarbonyl tetrahedrane C_2Co_2, 427
Carbonyl ligand complexes
atom addition and insertion reactions of $(MeCp)_2Ta(H)CO$ with sulfur, tellurium, carbonyl sulfide and carbon disulfide, 317
Carborane complexes
the first discrete half-sandwich samaracarborane of a C_2B_4-carborane ligand system, 101
Carbosilane complexes
preparation of dendritic carbosilanes with peripheral ethynyldicobalt hexacarbonyl tetrahedrane C_2Co_2, 427
Carboxylate complexes
a metal-assisted conversion of CO_2 and imidazole to carboxylate: synthesis and structural characterisation of the zinc carboxylate {bis(1-methyl-2-imidazolecarboxylato)(1-methylimidazole)}-zinc(II), $[Zn(1\text{-}Me\text{-}2\text{-}Imc)_2(1\text{-}MeIm)]$, 30
synthesis and structural characterisation of the zinc carboxylate *catena*-[monoaqua(bicyclo[2,2,1]hept-5-ene-*cis*-2,3-dicarboxylato)bis(1-methylimidazole)zinc(II)], 170
monomeric T-shaped planar silver(I) carboxylate and silver(I) halide complexes, 254
Catalysis
remarkable effect of Sn(II) co-catalyst in the Ru(II) catalyzed heterocyclization of *N*-terpenyl and *N*-prenylanilines with triethanolamine, 284
Catalytic reaction
synthesis and structure of $[Pt(CH{=}CI–CH_2OCH_3)_2(I)_2]$ as possible intermediate of catalytic alkynes conversion reaction into diiodo-substituted dienes, 411
Cerium complexes
$[Ce(PSe_4)_4]^{9-}$: a highly anionic Ce^{3+} selenophosphate coordination complex, 55
synthesis and structural investigation of tris(tetra-n-butylammonium)-diisothiocyanatotetranitratocerinate(III), 217
Chalcogenide complexes
a novel organometallic Re/Te compound. Synthesis and X-ray crystal structure of the complex $[Re(CO)_3(PEt_3)_2Te_2Re(CO)_3(PEt_3)]_2$, 150
Charge transfer
photoredox reaction of (*p*-dimethylaminopyridine)osmium(VIII)-tetroxide induced by ligand-to-metal charge transfer excitation, 7
photochemical hydrogen transfer from bis(i-propylcyclopentadienyl) tungsten dihydride to 9,10-phenanthrenequinone induced by outer sphere charge transfer excitation, 200
Chiral diphosphine complexes
new chiral diphosphines by ketalization of bile acid derivatives: synthesis and chelating properties, 125
Chirality
diastereoselective formation of chiral helicates, 80
Chiral phosphine
structural characterization of monodentate coordination of the chiral diphosphine BINAP, 302
Chloranilate anions
chloranilate bridged sodium chains, 418
Chromium complexes
tuning metal-to-metal distance in linear trichromium units, 1
fast non-dissociative *cis*-to-*trans* isomerization in the *cis*-$(P(O\text{-}i\text{-}Pr)_3)_2Cr(CO)_4$ intermediate, 87
Circular dichroism
inversion of stereoselectivity in the association between tris(oxalato)cobaltate(III) and bovine serum albumin by the addition of dioxane to aqueous solutions, 77
Clathrochelate complexes
macrobicyclic iron(II) oximehydrazonates and α-dioximates formed by capping with antimony(V) triorganyles: the first synthesis of antimony-containing clathrochelates, 328
Cluster
a novel pentaruthenium cluster containing three thiazole derived ligands; X-ray structure of $[(Ru_3(CO)_9(\mu\text{-}H)(\mu_5\text{-}\eta^5\text{-}HC{=}NC{=}CHS)Ru_2(CO)_4(\mu\text{-}H)(\eta^1\text{-}HC{=}NCH{=}CHS)\text{-}(\mu\text{-}2,3\text{-}\eta^3\text{-}C{=}NCH{=}CHS)]$, 402
Cluster complexes
rearrangements of 1,3-diynes on ruthenium cluster carbonyls: isolation and structure of $Ru_6(PhCHC_3C_6H_4)_2(CO)_{15}$, 134
remarkable effect of Sn(II) co-catalyst in the Ru(II) catalyzed heterocyclization of *N*-terpenyl and *N*-prenylanilines with triethanolamine, 284
structural characterization of monodentate coordination of the chiral diphosphine BINAP, 302

Cluster rearrangements
macropolyhedral boron-containing cluster chemistry. An interesting angular change in relative subcluster orientation in the oxidative protonation of $[S_2B_{17}H_{18}]^-$ to $[S_2B_{17}H_{17}]$, 179
Cobalt complexes
inversion of stereoselectivity in the association between tris(oxalato)cobaltate(III) and bovine serum albumin by the addition of dioxane to aqueous solutions, 77
can metal clusters assist silicon migrations? An NMR spectroscopic and X-ray crystallographic study, 105
preparation of dendritic carbosilanes with peripheral ethynyldicobalt hexacarbonyl tetrahedrane C_2Co_2, 427
Cobalt-diethylenetriamine complexes
geometric and diastereometric effects on ion association of bis(diethylenetriamine)cobalt(III) complexes with (amino-acidato)bis(oxalato)cobaltate(III) anions, 392
Cobalt(II) complexes
trinuclear complexes of copper, cobalt and iron with *N,N'*-di(2-pyridyl)formamidinate ligands, $[M_3(DPyF)_4][PF_6]_2$, 281
Copper complexes
a new class of derivatisable tripodal ligand. X-ray crystal structure of $[Cu(SO_4)(tpm)(H_2O)]$ (tpm = 1,1,1-tris(2-pyridyl)-methylamine), 43
diastereoselective formation of chiral helicates, 80
polymeric ternary metal thiols. I. Products from reaction of Cu(II) with MoS_4^{2-}, 460
Copper(II) complexes
the preparation and X-ray crystal structure of $[Co(Ph_2SNH)_6]Cl_2$, a homoleptic sulfimide complex exhibiting cooperative, directed hydrogen bonds between cations and anions, 249
trinuclear complexes of copper, cobalt and iron with *N,N'*-di(2-pyridyl)formamidinate ligands, $[M_3(DPyF)_4][PF_6]_2$, 281
Crown ether complexes
the determination of complex stabilities with nearly insoluble host molecules. Complexation of some transition and heavy metal cations with dibenzo-18-crown-6 in aqueous solution, 292
Cryptand complexes
wrapping oxometalates with macrocyclic ligands: the decavanadate–cryptand system, 111
Crystal structures
tuning metal-to-metal distance in linear trichromium units, 1
the first oxometalate borophosphate polyanion: hydrothermal synthesis and structure of $(H_3NCH_2CH_2NH_3)_2[Na(VO)_{105}]\cdot 22.5H_2O$, 4
synthesis, structure and high catalytic activity in the Diels–Alder reaction of ytterbium(III) and yttrium(III) bis(trifluoromethanesulfonyl)amide complexes, 10
anti-{2,7-dimethyl-*as*-indacene-diide$[M(COD)]_2$} complexes (M = Rh(I), Ir(I)). Molecular conformations assisted by C–H···arene intramolecular π-hydrogen bonds, 15
polyhedral oxaplatinaborane chemistry: characterisation of [9,9-$(PMe_2Ph)_2$-*arachno*-9,6-$PtOB_8H_{10}$] and its metallaborane non-oxa cognate [6,6-$(PMe_2Ph)_2$-*arachno*-6-PtB_9H_{11}-9-(PMe_2Ph)], 19
bis(μ-*N,N'*-η^2*N,O*-η^2*N',O'*-di(*o*-methoxyphenyl)formamidinato)-disilver(I): an interesting coordination geometry for silver(I) and room temperature fluorescence, 23
a metal-assisted conversion of CO_2 and imidazole to carboxylate: synthesis and structural characterisation of the zinc carboxylate {bis(1-methyl-2-imidazolecarboxylato)(1-methylimidazole)}-zinc(II), $[Zn(1\text{-Me-2-Imc})_2(1\text{-MeIm})]$, 30
a novel series of asymmetric trinuclear M(III) complexes (M = Ti, V, Cr, Mn, Fe, Co) with the $[M_3O_2]^{6+}$ core by a deoximation reaction exemplified by the V(III) complex, 39
a new class of derivatisable tripodal ligand. X-ray crystal structure of $[Cu(SO_4)(tpm)(H_2O)]$ (tpm = 1,1,1-tris(2-pyridyl)-methylamine), 43
dinuclear gold(I) dithiophosphonate complexes: formation, structure and reactivity, 51
$[Ce(PSe_4)_4]^{9-}$: a highly anionic Ce^{3+} selenophosphate coordination complex, 55
the first structural studies on trithiocyanuric acid: the solid state structures of its HMPA adduct and its mono-lithiated HMPA complex, 58
a platinum(II) complex containing carbon-bonded 'nitromethane': $[Pt(CH_2NO_2)(2,2':6',2''\text{-terpyridine})]^+$, 61
synthesis of $[Ir_2(\mu\text{-Pz})_2(CH_3)(CO)_2(PiPr_3)_2]^+$. A key intermediate in S_N2 oxidative addition of halocarbons to dinuclear complexes, 64
preorganization of iron centers for the activation of molecular dioxygen, 71
triangular barium macrocyclic complex encapsulating perchlorate ions, 90
hydrolysis of thiamine (vitamin B_1) in the presence of dimethylthallium(III) hydroxide. The novel crystal structure of a thiamine thiolate derivative, 93
metallaborane reaction chemistry. Macropolyhedral metallaheteroborane synthesis by direct heteroatom insertion. Formation of the twenty-vertex $[(\eta^5\text{-}C_5Me_5)IrB_{18}H_{19}S]^-$ anion from nineteen-vertex *syn*-$[(\eta^5\text{-}C_5Me_5)IrB_{18}H_{20}]$, 97
the first discrete half-sandwich samaracarborane of a C_2B_4-carborane ligand system, 101
can metal clusters assist silicon migrations? An NMR spectroscopic and X-ray crystallographic study, 105
an unprecedented tetranuclear complex containing two quadruply bonded Mo_2^{4+} units joined by two μ-OH groups, 109
self-assembly of tripodal tris(diphenylphosphinito)fluoroborate ligands in trinuclear gold(I) complexes, 115
geminal di(hypersilyl) compounds. The synthesis and structure of dimethylamino-bis[tris(trimethylsilyl)silyl]methane, 128
novel arrangement of methyl carbonate units: X-ray crystal structure of sodium methyl carbonate, 131
rearrangements of 1,3-diynes on ruthenium cluster carbonyls: isolation and structure of $Ru_6(PhCHC_3C_6H_4)_2(CO)_{15}$, 134
preparation and structural studies of $[Mo(N_3S_2)\text{-}\{R_2(O)PNP(S)R_2\}_2]$, 143
self-assembly and X-ray crystal structure of a six-component metallo-supramolecular box, 147
a novel organometallic Re/Te compound. Synthesis and X-ray crystal structure of the complex $[Re(CO)_3(PEt_3)_2Te_2Re(CO)_3(PEt_3)]_2$, 150
synthesis and structural characterization of a triply bridged copper(II)–zinc(II) Schiff base complex with N,O coordination, 152
hydrolysis, oxidation and complexation: the reactions of tin(II) chloride with a tripodal Schiff base ligand, 159
synthesis and structural identification of undecaoxotetramethoxotetrapyridinetetramolybdenum(V)molybdenum(VI)·methanol, 161
synthesis and structural characterization of the neutral indium(III) thiolate species $In\{(SCH_2CH_2)_3N\}$, 164
synthesis and structural characterisation of the zinc carboxylate *catena*-[monoaqua(bicyclo[2,2,1]hept-5-ene-*cis*-2,3-dicarboxylato)bis(1-methylimidazole)zinc(II)], 170
β-Mn$[Fe(CN)_6]$ – evidence for an interpenetrating 'double-density' Prussian blue structure, 174
macropolyhedral boron-containing cluster chemistry. An interesting angular change in relative subcluster orientation in the oxidative protonation of $[S_2B_{17}H_{18}]^-$ to $[S_2B_{17}H_{17}]$, 179
synthesis and structure characterization of the trinuclear $[AlMe_2]_2$-$[(OCH_2C_6H_4\text{-}2\text{-}NH)_2AlMe]$ complex derived from $AlMe_3$ and 2-(hydroxymethyl)aniline, 182
structural impact of *cis*-1,2-bis(diphenylphosphino)ethene on the first hexanuclear palladium(II)–silver(I) complex with triply-bridging sulfide ligands, 185
further study of the agostic molecule, $TiCl_3(dmpe)C_2H_5$, 195

expansion of the '3 + 1' concept of oxorhenium-thiolate chemistry to cationic and binuclear complexes, 209
synthesis, structure and EPR spectra of $(NBu_4)_2[(OH_2)Br_4ReNReBr_4NReBr_4(OH_2)]$, 213
synthesis and structural investigation of tris(tetra-n-butylammonium)-diisothiocyanatotetranitratocerinate(III), 217
novel dinuclear manganese(II) complexes with monocapped trigonal prism geometries: implication of Mn–Mn distance on the catalase activity of dinuclear manganese center, 225
molybdenum(V) and molybdenum(IV) complexes with trifluoro-thioacetylacetone. X-ray structure of $[Mo_2O_3\{CF_3C(O)CHC(S)CH_3\}_4]$, 237
the preparation and X-ray crystal structure of $[Co(Ph_2SNH)_6]Cl_2$, a homoleptic sulfimide complex exhibiting cooperative, directed hydrogen bonds between cations and anions, 249
reactions of dichloro[2-(dimethylaminomethyl)phenyl-C^1,N]gold(III), [Au(damp-C^1,N)Cl_2], with aromatic thiosemicarbazones. Structures and spectroscopical data of the first gold(III) thiosemicarbazone complexes, 251
monomeric T-shaped planar silver(I) carboxylate and silver(I) halide complexes, 254
synthesis and molecular structure of $[Fe_2(CO)_3\{\mu\text{-}\eta^1,\eta^2,\eta^1,\eta^1\text{-}OC\text{–}C(Ph)=CH_2\}(\mu\text{-}PPh_2)(\eta^2\text{-dppe})]$ a π-bound α,β-unsaturated acyl complex, 257
a ribbon-like metallopolymer from 1,4-bis(2-pyridyl)buta-1,3-diyne and silver(I) nitrate, 260
the chemistry of 1,3,5-triazacyclohexane complexes, 7. Synthesis and structure determination of ethyl(-1,3,5-tribenzyl(-1,3,5-triazacyclohexane))zinc(II)-hexafluorophosphate, 263
preparation, NOESY characterisation and structure of [Ni(N_3-macrocycle)(hp)]ClO_4: the first crystallographic characterised mononuclear nickel complex containing the 2-pyridonate (hp) ligand, 267
C–F bond activation in perfluorobenzothiolate compounds of Os(III). X-ray structures of $[Os(SC_6F_4(F\text{-}2))(SC_6F_5)_2(PMe_2Ph)_2]$, $[Os(SC_6F_5)_2(o\text{-}S_2C_6F_4)(PMe_2Ph)]$ and $[Os(C_6F_5)_2(o\text{-}S_2C_6F_4)(PMe_2Ph)_2]$, 273
trinuclear complexes of copper, cobalt and iron with N,N'-di(2-pyridyl)formamidinate ligands, $[M_3(DPyF)_4][PF_6]_2$, 281
structural characterization of monodentate coordination of the chiral diphosphine BINAP, 302
interaction of two equivalent electron transfer/atom transfer centers via 2,2′-bipyrimidine as bridging ligand, 305
a binuclear platinum(II) complex using *trans*-1,2-diaminocyclobutane as a bridging ligand, 314
synthesis and structure of pentanuclear clusters bridged by tellurido ions, 325
synthesis and characterisation of alkynylacetal and alkynylaldehyde derivatives of Ni(II) and Fe(II); the X-ray crystal structure of $Ni(\eta^5\text{-}C_5H_5)(PPh_3)C{\equiv}CCH(OEt)_2$, 343
$[Ni(CN)_2\cdot 2Me_3SnCN\cdot(nBu_4N)OH]$: a layered, supramolecular assembly containing the earlier described, macrocyclic building block $[\{(Me_3Sn)_2OH\}_2\{\mu\text{-}(NC)_2Ni(CN)_2\}_2]^{2-}$, 346
macropolyhedral boron-containing cluster chemistry. Isolation and characterisation of the 27-vertex contiguous triple-cluster species $[(PMe_2Ph)PtB_{26}H_{26}(PMe_2Ph)]$, 365
reactions of iridium and ruthenium arenethiolato complexes with propylene sulfide. X-ray structures of 1-arylthio-2-propanethiolato-S,S' iridium and ruthenium complexes, 368
polyhedral ruthenaborane chemistry. The ten-vertex *isocloso* cluster geometries of $[(pcym)RuB_9H_9]$ and $[(pcym)_2Ru_2B_8H_8]$, 375
a novel pentaruthenium cluster containing three thiazole derived ligands; X-ray structure of $[(Ru_3(CO)_9(\mu\text{-}H)(\mu_5\text{-}\eta^5\text{-}HC{=}NC{=}CHS)Ru_2(CO)_4(\mu\text{-}H)(\eta^1\text{-}HC{=}NCH{=}CHS)(\mu\text{-}2,3\text{-}\eta^3\text{-}C{=}NCH{=}CHS)]$, 402
synthesis and characterisation of water soluble Pt(II) complexes of 1,3,5-triaza-7-phosphaadamantane (PTA). Crystal and molecular structure of $\{cis\text{-}[PtCl_2(PTA)_2]\}_2\cdot H_2O$, 415
chloranilate bridged sodium chains, 418
$[Y\{2,6\text{-}(C_5H_4CH_2)_2C_5H_3N\}(\mu\text{-}OH)]_2$: a dinuclear 5-*ansa*-yttrocene hydroxide containing the 2,6-dimethylenepyridyl bridge, 424
Ni(II) and Pd(II) complexes of camphor-derived diazadiene ligands: steric bulk tuning and ethylene polymerization, 431
a new silyl substituted *arachno*-tetraborane(8) derivative, 443
an unusual reaction of $Rh(SbPh_3)_3(CO)Cl$ with propargyl halides: the formation of rhodiacyclopent-3-ene-2-one complexes, 446
bis(tetraphenylphosphonium)[bis(1,2-diselenosquarato)-palladate(II)], the first selenosquarato complex, 449
[(μ-fluoro)bis{(triphenyl)(*p*-tolyl)antimony}] iodide, 463
palladium(II) complexes with Pd_2S_2 rings. Synthesis and theoretical characterization of $[Pd_2(dppe)_2(\mu\text{-}S)_2]$ and X-ray characterization of $[Pd_3(dppe)_3(\mu_3\text{-}S)_2]Cl_2$, 466
stabilisation of Au^{III} and Au^{I} in the same complex molecule by a tridentate phosphinodithiolate ligand. Structures of $[Au^{III}LCl]$ and $[Au^{I}L_2Au^{III}]$ ($L = \{PhP(C_6H_3S\text{-}2\text{-}SiMe_3\text{-}3)_2\}^{2-}$), 469
N-(diethylaminothiocarbonyl)ferrocenecarbimidoyl chloride, a versatile reagent, 472
a quadruply-bonded dirhenium complex bridged by two N^1/N^6 adenate ligands, 475

Cyanide complexes
$[Ni(CN)_2\cdot 2Me_3SnCN\cdot(nBu_4N)OH]$: a layered, supramolecular assembly containing the earlier described, macrocyclic building block $[\{(Me_3Sn)_2OH\}_2\{\mu\text{-}(NC)_2Ni(CN)_2\}_2]^{2-}$, 346

Cyanometallate complexes
β-$Mn[Fe(CN)_6]$ – evidence for an interpenetrating 'double-density' Prussian blue structure, 174

Cyclometallation reactions
cyclometallated compounds. XII. Syntheses of two new doubly-cyclometallated compounds, 358

Cyclopalladation
the unprecedented transformation of a sterically crowded cyclopalladated secondary benzylamine including $(sp^3)C\text{–}C(sp^3)$ bond activation under mild conditions, 12

Cysteine complexes
differential reactivity of S–H bonds towards platinum(0). Direct synthesis of a low symmetry platinum(II) complex with hydrido, phosphine and *N,S*-cysteinato ethyl ester ligands, 457

Dechlorination
hydrodehalogenation of aromatic chlorides with $NaBH_4$ in the presence of Ni(0) catalysts, 246

Dehydrogenation
base-catalyzed dehydrogenation of palladium(II) amino to imino complexes, 372

Dendrimers
preparation of dendritic carbosilanes with peripheral ethynyldicobalt hexacarbonyl tetrahedrane C_2Co_2, 427

Density functional calculations
structure and bonding in some derivatives of (η^4-norbornadiene)-$Fe(CO)_3$, 421

Deprotonation reaction
hydrogen exchange reactions in the course of electrophilic addition to Cp^*Ru(*exo*-methylenecyclohexadienyl) complexes, 395

Diaminocyclobutane complexes
a binuclear platinum(II) complex using *trans*-1,2-diaminocyclobutane as a bridging ligand, 314

Diazadiene complexes
Ni(II) and Pd(II) complexes of camphor-derived diazadiene ligands: steric bulk tuning and ethylene polymerization, 431

Diazafluorenone complexes
a new tris-diimine ruthenium(II) derivative: nucleophilic ring opening of coordinated diazafluorenone, 27

Diazoalkane complexes
synthesis, molecular dynamics and electronic structure of a stable platinum α-carbonyl diazoalkane complex, 350

Dicarboxylate complexes
the gas-occlusion properties of dicarboxylate (fumarate, *trans-trans*-muconate and terephthalate) ruthenium(II,III) dinuclear complexes, 177
Dicobalt cluster complexes
dicobalt cluster-functionalized 2,2′:6′,2″-terpyridine ligands: ruthenium(II) complexes with covalently linked $C_2Co_2(CO)_6$ units, 68
Diels–Alder catalysis
synthesis, structure and high catalytic activity in the Diels–Alder reaction of ytterbium(III) and yttrium(III) bis(trifluoromethanesulfonyl)amide complexes, 10
Diimine complexes
a new tris-diimine ruthenium(II) derivative: nucleophilic ring opening of coordinated diazafluorenone, 27
Diisopropyldihalotellurides
a new way to Si–Si, Ge–Ge bonds and diisopropyldihalotellurides, 379
Dimethyldihalosilanes
a new way to Si–Si, Ge–Ge bonds and diisopropyldihalotellurides, 379
Dinuclear complexes
dinuclear gold(I) dithiophosphonate complexes: formation, structure and reactivity, 51
synthesis of $[Ir_2(\mu\text{-}Pz)_2(CH_3)(CO)_2(PiPr_3)_2]^+$. A key intermediate in S_N2 oxidative addition of halocarbons to dinuclear complexes, 64
the gas-occlusion properties of dicarboxylate (fumarate, *trans-trans*-muconate and terephthalate) ruthenium(II,III) dinuclear complexes, 177
novel dinuclear manganese(II) complexes with monocapped trigonal prism geometries: implication of Mn–Mn distance on the catalase activity of dinuclear manganese center, 225
molybdenum(V) and molybdenum(IV) complexes with trifluorothioacetylacetone. X-ray structure of $[Mo_2O_3\{CF_3C(O)\text{-}CHC(S)CH_3\}_4]$, 237
Dinucleating ligand complexes
synthesis and structural characterization of a triply bridged copper(II)–zinc(II) Schiff base complex with N,O coordination, 152
Dioxygen
cooperative oxidation of edta by Ni(III) and dioxygen. A pulse radiolysis study, 46
Dioxygen activation
preorganization of iron centers for the activation of molecular dioxygen, 71
Diphosphine complexes
structural impact of *cis*-1,2-bis(diphenylphosphino)ethene on the first hexanuclear palladium(II)–silver(I) complex with triply-bridging sulfide ligands, 185
an unusual ready inversion of sp^3 skeletal carbon in an organometallic complex, 309
Dithiophosphonate complexes
dinuclear gold(I) dithiophosphonate complexes: formation, structure and reactivity, 51
1,3-Diyne complexes
rearrangements of 1,3-diynes on ruthenium cluster carbonyls: isolation and structure of $Ru_6(PhCHC_3C_6H_4)_2(CO)_{15}$, 134
DNA photoprobes
a new bifunctional *para*-toluenesulfonamidophenanthroline-aminoquinoline ligand. Synthesis and characterisation of the corresponding Ru(II) complex, 339

EDTA oxidation
cooperative oxidation of edta by Ni(III) and dioxygen. A pulse radiolysis study, 46
EHT-MO calculations
X-band, Q-band EPR and EHT-MO calculations on $[Re^{II}(NO)\text{-}Cl_2(OPPh_3)_3][ReO_4]$, 389
Electronic effects
electronic effects on thermal rearrangement in the Ziegler pyrolysis reaction, 222
Electron transfer
theory of the Stark Effect spectral lineshape for a delocalized mixed-valence complex, 137
synthesis and characterisation of bis(ferrocenylethynyl) complexes of platinum(II) A re-investigation of their electrochemical behaviour, 239
interaction of two equivalent electron transfer/atom transfer centers via 2,2′-bipyrimidine as bridging ligand, 305
Electrophilic addition
hydrogen exchange reactions in the course of electrophilic addition to Cp^*Ru(*exo*-methylenecyclohexadienyl) complexes, 395
EPR study
the existence of $[ReNF_4]^-$ — an EPR study, 141
EPR evidence of tetrahalogeno(triphenylmethylimido)rhenium(VI) complexes $[Re\{NC(C_6H_5)_3\}X_4]$ (X = Cl, Br), 203

Ferric molybdenum phosphate
a ferric molybdenum phosphate with a tunnel: hydrothermal synthesis and structure of $(NH_3CH_2CH_2NH_3)_2 \cdot (NH_3CH_2CH_2NH_2)_3 \cdot Na \cdot [Fe_2Mo_{12}O_{30}(PO_4)(HPO_4)_4(H_2PO_4)_3] \cdot 7H_2O$, 382
Ferrocene complexes
synthesis and characterisation of bis(ferrocenylethynyl) complexes of platinum(II) A re-investigation of their electrochemical behaviour, 239
Ferrocene compounds
N-(diethylaminothiocarbonyl)ferrocenecarbimidoyl chloride, a versatile reagent, 472
Ferrocene ligands
synthesis and characterization of calcium, strontium and barium 1′-(diphenylphosphino)ferrocenecarboxylates, 332
Flash photolysis
fast non-dissociative *cis*-to-*trans* isomerization in the *cis*-$(P(O\text{-}i\text{-}Pr)_3)_2Cr(CO)_4$ intermediate, 87
Fluorescence
bis(μ-*N*,*N*′-η^2*N*,*O*-η^2*N*′,*O*′-di(*o*-methoxyphenyl)formamidinato)-disilver(I): an interesting coordination geometry for silver(I) and room temperature fluorescence, 23
Fluoride-bridged complexes
[(μ-fluoro)bis{(triphenyl)(*p*-tolyl)antimony}] iodide, 463
Fluoride complexes
the existence of $[ReNF_4]^-$ — an EPR study, 141
Fluorinated phosphine complexes
the effect of fluorine, trifluoromethyl and related substitution on the donor properties of triarylphosphines towards $[Fe(CO)_4]$, 118
Fluorous complexes
tuning the fluorous partition coefficients of organometallic complexes. The synthesis and characterization of $[\eta^5\text{-}C_5H_4CH_2CH_2\text{-}(CF_2)_9CF_3]Rh(CO)L$ (L = CO or $P[CH_2CH_2(CF_2)_5CF_3]_3$) and $Cl_2Ni\{P[CH_2CH_2(CF_2)_5CF_3]_3\}_2$, 197
Fluorous partition
tuning the fluorous partition coefficients of organometallic complexes. The synthesis and characterization of $[\eta^5\text{-}C_5H_4CH_2CH_2\text{-}(CF_2)_9CF_3]Rh(CO)L$ (L = CO or $P[CH_2CH_2(CF_2)_5CF_3]_3$) and $Cl_2Ni\{P[CH_2CH_2(CF_2)_5CF_3]_3\}_2$, 197
Formamidinate complexes
bis(μ-*N*,*N*′-η^2*N*,*O*-η^2*N*′,*O*′-di(*o*-methoxyphenyl)formamidinato)-disilver(I): an interesting coordination geometry for silver(I) and room temperature fluorescence, 23

Gas-occlusion properties
the gas-occlusion properties of dicarboxylate (fumarate, *trans-trans*-muconate and terephthalate) ruthenium(II,III) dinuclear complexes, 177

Geometric isomers
geometric and diastereometric effects on ion association of bis(diethylenetriamine)cobalt(III) complexes with (amino-acidato)bis(oxalato)cobaltate(III) anions, 392
Gold complexes
dinuclear gold(I) dithiophosphonate complexes: formation, structure and reactivity, 51
self-assembly of tripodal tris(diphenylphosphinito)fluoroborate ligands in trinuclear gold(I) complexes, 115
stabilisation of Au^{III} and Au^{I} in the same complex molecule by a tridentate phosphinodithiolate ligand. Structures of $[Au^{III}LCl]$ and $[Au^{I}L_2Au^{III}]$ ($L = \{PhP(C_6H_3S\text{-}2\text{-}SiMe_3\text{-}3)_2\}^{2-}$), 469
Gold(III) complexes
reactions of dichloro[2-(dimethylaminomethyl)phenyl-C^1,N]gold(III), [Au(damp-C^1,N)Cl_2], with aromatic thiosemicarbazones. Structures and spectroscopical data of the first gold(III) thiosemicarbazone complexes, 251

Half-sandwich complexes
the first discrete half-sandwich samaracarborane of a C_2B_4-carborane ligand system, 101
Halide complexes
monomeric T-shaped planar silver(I) carboxylate and silver(I) halide complexes, 254
Helicates
diastereoselective formation of chiral helicates, 80
Heterocyclization
remarkable effect of Sn(II) co-catalyst in the Ru(II) catalyzed heterocyclization of *N*-terpenyl and *N*-prenylanilines with triethanolamine, 284
Heterodinuclear complexes
synthesis and structural characterization of a triply bridged copper(II)–zinc(II) Schiff base complex with N,O coordination, 152
Hexamethyldisilane
a new way to Si–Si, Ge–Ge bonds and diisopropyldihalotellurides, 379
Hexanuclear complexes
structural impact of *cis*-1,2-bis(diphenylphosphino)ethene on the first hexanuclear palladium(II)–silver(I) complex with triply-bridging sulfide ligands, 185
Homoleptic sulfimide complexes
the preparation and X-ray crystal structure of $[Co(Ph_2SNH)_6]Cl_2$, a homoleptic sulfimide complex exhibiting cooperative, directed hydrogen bonds between cations and anions, 249
Hybrid phosphines
synthesis and characterization of calcium, strontium and barium 1′-(diphenylphosphino)ferrocenecarboxylates, 332
Hydride complexes
photochemical hydrogen transfer from bis(i-propylcyclopentadienyl) tungsten dihydride to 9,10-phenanthrenequinone induced by outer sphere charge transfer excitation, 200
hydrogenation and isomerization reactions in the addition of carboxylic acids containing alkyne or alkene groups to $RuClH(CO)(PPh_3)_3$, 335
Hydrido complexes
differential reactivity of S–H bonds towards platinum(0). Direct synthesis of a low symmetry platinum(II) complex with hydrido, phosphine and *N*,*S*-cysteinato ethyl ester ligands, 457
Hydrocarboxylation
highly selective hydrocarboxylation of styrene with oxalic acid or water using palladium *ortho*-amino arenethiolates with intramolecular coordinating nitrogen Lewis bases, 295
Hydrodehalogenation
hydrodehalogenation of aromatic chlorides with $NaBH_4$ in the presence of Ni(0) catalysts, 246
Hydrogenation
hydrogenation and isomerization reactions in the addition of carboxylic acids containing alkyne or alkene groups to $RuClH(CO)(PPh_3)_3$, 335
Hydrogen bonding
the first structural studies on trithiocyanuric acid: the solid state structures of its HMPA adduct and its mono-lithiated HMPA complex, 58
Hydrogen exchange reactions
hydrogen exchange reactions in the course of electrophilic addition to Cp^*Ru(*exo*-methylenecyclohexadienyl) complexes, 395
Hydrolysis
a metallomicelle catalysed hydrolysis of a phosphate triester, a phosphonate diester and *O*-isopropyl methylfluorophosphonate (Sarin), 228
reversible hydrolysis of $[PtCl(dien)]^+$ and $[PtCl(NH_3)_3]^+$. Determination of the rate constants using UV spectrophotometry, 439
Hydroxide-bridged complexes
an unprecedented tetranuclear complex containing two quadruply bonded Mo_2^{4+} units joined by two μ-OH groups, 109
Hydroxo-bridged complexes
$[Y\{2,6\text{-}(C_5H_4CH_2)_2C_5H_3N\}(\mu\text{-}OH)]_2$: a dinuclear 5-*ansa*-yttrocene hydroxide containing the 2,6-dimethylenepyridyl bridge, 424
Hydroxomercuration
photoreduction of mercury(II) in aqueous solution in the presence of cyclohexene. Hydroxomercuration and two-stage photolysis, 270
Hypersilyl compounds
geminal di(hypersilyl) compounds. The synthesis and structure of dimethylamino-bis[tris(trimethylsilyl)silyl]methane, 128

Imidazole complexes
a metal-assisted conversion of CO_2 and imidazole to carboxylate: synthesis and structural characterisation of the zinc carboxylate {bis(1-methyl-2-imidazolecarboxylato)(1-methylimidazole)}-zinc(II), $[Zn(1\text{-}Me\text{-}2\text{-}Imc)_2(1\text{-}MeIm)]$, 30
synthesis and structural characterisation of the zinc carboxylate *catena*-[monoaqua(bicyclo[2,2,1]hept-5-ene-*cis*-2,3-dicarboxylato)bis(1-methylimidazole)zinc(II)], 170
Imidazolidine bridge complexes
synthesis and structural characterization of a triply bridged copper(II)–zinc(II) Schiff base complex with N,O coordination, 152
Imido complexes
EPR evidence of tetrahalogeno(triphenylmethylimido)rhenium(VI) complexes $[Re\{NC(C_6H_5)_3\}X_4]$ (X = Cl, Br), 203
Imidophosphinate complexes
preparation and structural studies of $[Mo(N_3S_2)\text{-}\{R_2(O)PNP(S)R_2\}_2]$, 143
Imino complexes
base-catalyzed dehydrogenation of palladium(II) amino to imino complexes, 372
Indacene-diide complexes
anti-{2,7-dimethyl-*as*-indacene-diide$[M(COD)]_2$} complexes (M = Rh(I), Ir(I)). Molecular conformations assisted by C–H···arene intramolecular π-hydrogen bonds, 15
Indenyl complexes
can metal clusters assist silicon migrations? An NMR spectroscopic and X-ray crystallographic study, 105
Indium complexes
synthesis and structural characterization of the neutral indium(III) thiolate species $In\{(SCH_2CH_2)_3N\}$, 164
Insertion reactions
atom addition and insertion reactions of $(MeCp)_2Ta(H)CO$ with sulfur, tellurium, carbonyl sulfide and carbon disulfide, 317

Intramolecular interactions
anti-{2,7-dimethyl-*as*-indacene-diide[M(COD)]$_2$} complexes (M = Rh(I), Ir(I)). Molecular conformations assisted by C–H···arene intramolecular π-hydrogen bonds, 15
Inversion
an unusual ready inversion of sp^3 skeletal carbon in an organometallic complex, 309
Iodoplatination
synthesis and structure of [Pt(CH=CI–CH_2OCH_3)$_2$(I)$_2$] as possible intermediate of catalytic alkynes conversion reaction into diiodo-substituted dienes, 411
Ion association
geometric and diastereometric effects on ion association of bis(diethylenetriamine)cobalt(III) complexes with (amino-acidato)bis(oxalato)cobaltate(III) anions, 392
Iridium complexes
anti-{2,7-dimethyl-*as*-indacene-diide[M(COD)]$_2$} complexes (M = Rh(I), Ir(I)). Molecular conformations assisted by C–H···arene intramolecular π-hydrogen bonds, 15
synthesis of [$Ir_2(\mu\text{-}Pz)_2(CH_3)(CO)_2(PiPr_3)_2$]$^+$. A key intermediate in S_N2 oxidative addition of halocarbons to dinuclear complexes, 64
metallaborane reaction chemistry. Macropolyhedral metallaheteroborane synthesis by direct heteroatom insertion. Formation of the twenty-vertex [(η^5-C_5Me_5)$IrB_{18}H_{19}S$]$^-$ anion from nineteen-vertex *syn*-[(η^5-C_5Me_5)$IrB_{18}H_{20}$], 97
reactions of iridium and ruthenium arenethiolato complexes with propylene sulfide. X-ray structures of 1-arylthio-2-propanethiolato-*S*,*S*′ iridium and ruthenium complexes, 368
Iron complexes
preorganization of iron centers for the activation of molecular dioxygen, 71
the effect of fluorine, trifluoromethyl and related substitution on the donor properties of triarylphosphines towards [$Fe(CO)_4$], 118
β-Mn[$Fe(CN)_6$] – evidence for an interpenetrating 'double-density' Prussian blue structure, 174
synthesis and molecular structure of [$Fe_2(CO)_3$\{μ-η^1,η^2,η^1,η^1-OC–C(Ph)=CH_2\}(μ-PPh_2)(η^2-dppe)] a π-bound α,β-unsaturated acyl complex, 257
macrobicyclic iron(II) oximehydrazonates and α-dioximates formed by capping with antimony(V) triorganyles: the first synthesis of antimony-containing clathrochelates, 328
synthesis and characterisation of alkynylacetal and alkynylaldehyde derivatives of Ni(II) and Fe(II); the X-ray crystal structure of Ni(η^5-C_5H_5)(PPh_3)C≡CCH(OEt)$_2$, 343
structure and bonding in some derivatives of (η^4-norbornadiene)-$Fe(CO)_3$, 421
Iron(II) complexes
trinuclear complexes of copper, cobalt and iron with *N*,*N*′-di(2-pyridyl)formamidinate ligands, [$M_3(DPyF)_4$][PF_6]$_2$, 281
Isocloso cluster compounds
polyhedral ruthenaborane chemistry. The ten-vertex *isocloso* cluster geometries of [(pcym)RuB_9H_9] and [(pcym)$_2Ru_2B_8H_8$], 375
Isomerization
fast non-dissociative *cis*-to-*trans* isomerization in the *cis*-(P(O-i-Pr)$_3$)$_2$Cr(CO)$_4$ intermediate, 87
Isothiocyanato complexes
synthesis and structural investigation of tris(tetra-n-butylammonium)-diisothiocyanatotetranitratocerinate(III), 217

Kinetics
reversible hydrolysis of [PtCl(dien)]$^+$ and [PtCl(NH_3)$_3$]$^+$. Determination of the rate constants using UV spectrophotometry, 439
Kinetic selectivities
rapid and selective redox-recyclable anion-exchange materials containing polyalkylated ferricenium anion-exchange sites, 435
Kinetic studies
kinetic studies of reactions of the stannyl anion with primary alkyl halides by a stopped-flow technique, 386

Layer/chain systems
chloranilate bridged sodium chains, 418
Layered compounds
direct hydrothermal synthesis of zirconium phosphate and zirconium arsenate with a novel basic layered structure in alkaline media, 206
Linear complexes
tuning metal-to-metal distance in linear trichromium units, 1
Linear trinuclear complexes
trinuclear complexes of copper, cobalt and iron with *N*,*N*′-di(2-pyridyl)formamidinate ligands, [$M_3(DPyF)_4$][PF_6]$_2$, 281

Macrocyclic complexes
triangular barium macrocyclic complex encapsulating perchlorate ions, 90
Macropolyhedral cluster
macropolyhedral boron-containing cluster chemistry. Isolation and characterisation of the 27-vertex contiguous triple-cluster species [(PMe_2Ph)$PtB_{26}H_{26}$(PMe_2Ph)], 365
Macropolyhedral clusters
metallaborane reaction chemistry. Macropolyhedral metallaheteroborane synthesis by direct heteroatom insertion. Formation of the twenty-vertex [(η^5-C_5Me_5)$IrB_{18}H_{19}S$]$^-$ anion from nineteen-vertex *syn*-[(η^5-C_5Me_5)$IrB_{18}H_{20}$], 97
macropolyhedral boron-containing cluster chemistry. An interesting angular change in relative subcluster orientation in the oxidative protonation of [$S_2B_{17}H_{18}$]$^-$ to [$S_2B_{17}H_{17}$], 179
Manganese complexes
β-Mn[$Fe(CN)_6$] – evidence for an interpenetrating 'double-density' Prussian blue structure, 174
novel dinuclear manganese(II) complexes with monocapped trigonal prism geometries: implication of Mn–Mn distance on the catalase activity of dinuclear manganese center, 225
Mannich base
new annelated 2,2′:6′,2″-terpyridines and their Ru(II) complexes: synthesis and characterisation, 354
Metal–metal interaction complexes
synthesis of [$Ir_2(\mu\text{-}Pz)_2(CH_3)(CO)_2(PiPr_3)_2$]$^+$. A key intermediate in S_N2 oxidative addition of halocarbons to dinuclear complexes, 64
Metal complexes
the determination of complex stabilities with nearly insoluble host molecules. Complexation of some transition and heavy metal cations with dibenzo-18-crown-6 in aqueous solution, 292
atom addition and insertion reactions of (MeCp)$_2$Ta(H)CO with sulfur, tellurium, carbonyl sulfide and carbon disulfide, 317
d^8 Metal complexes
new chiral diphosphines by ketalization of bile acid derivatives: synthesis and chelating properties, 125
Metallaborane cluster
macropolyhedral boron-containing cluster chemistry. Isolation and characterisation of the 27-vertex contiguous triple-cluster species [(PMe_2Ph)$PtB_{26}H_{26}$(PMe_2Ph)], 365
Metallaborane complexes
polyhedral oxaplatinaborane chemistry: characterisation of [9,9-(PMe_2Ph)$_2$-*arachno*-9,6-$PtOB_8H_{10}$] and its metallaborane non-oxa cognate [6,6-(PMe_2Ph)$_2$-*arachno*-6-PtB_9H_{11}-9-(PMe_2Ph)], 19
Metallaborane reactions
metallaborane reaction chemistry. Macropolyhedral metallaheteroborane synthesis by direct heteroatom insertion. Formation of the twenty-vertex [(η^5-C_5Me_5)$IrB_{18}H_{19}S$]$^-$ anion from nineteen-vertex *syn*-[(η^5-C_5Me_5)$IrB_{18}H_{20}$], 97

Metallacyclopentenone complexes
an unusual reaction of $Rh(SbPh_3)_3(CO)Cl$ with propargyl halides: the formation of rhodiacyclopent-3-ene-2-one complexes, 446
Metallocycle
a novel pentaruthenium cluster containing three thiazole derived ligands; X-ray structure of $[(Ru_3(CO)_9(\mu\text{-}H)(\mu_5\text{-}\eta^5\text{-}HC{=}NC{=}CHS)Ru_2(CO)_4(\mu\text{-}H)(\eta^1\text{-}HC{=}NCH{=}CHS)\text{-}(\mu\text{-}2,3\text{-}\eta^3\text{-}C{=}NCH{=}CHS)]$, 402
Metallomicelle
a metallomicelle catalysed hydrolysis of a phosphate triester, a phosphonate diester and *O*-isopropyl methylfluorophosphonate (Sarin), 228
Metallopolymer complexes
a ribbon-like metallopolymer from 1,4-bis(2-pyridyl)buta-1,3-diyne and silver(I) nitrate, 260
Methyl carbonate compounds
novel arrangement of methyl carbonate units: X-ray crystal structure of sodium methyl carbonate, 131
Mixed-ligand complexes
syntheses of mixed-ligand ruthenium(II) complexes with a terpyridine or a tris(pyrazolyl)methane and a bidentate ligand: their application for catalytic hydroxylation of alkanes, 299
Mixed valence complex
theory of the Stark Effect spectral lineshape for a delocalized mixed-valence complex, 137
MO calculations
synthesis, molecular dynamics and electronic structure of a stable platinum α-carbonyl diazoalkane complex, 350
Molecular electronics
Stille cross-coupling of metal complexes, 167
Molybdenum complexes
an unprecedented tetranuclear complex containing two quadruply bonded Mo_2^{4+} units joined by two μ-OH groups, 109
preparation and structural studies of $[Mo(N_3S_2)\text{-}\{R_2(O)PNP(S)R_2\}_2]$, 143
synthesis and structural identification of undecaoxotetramethoxotetrapyridinetetramolybdenum(V)molybdenum(VI) · methanol, 161
molybdenum(V) and molybdenum(IV) complexes with trifluorothioacetylacetone. X-ray structure of $[Mo_2O_3\{CF_3C(O)\text{-}CHC(S)CH_3\}_4]$, 237
polymeric ternary metal thiols. I. Products from reaction of Cu(II) with MoS_4^{2-}, 460
Multiply bonded complexes
tuning metal-to-metal distance in linear trichromium units, 1

Nickel catalyst
hydrodehalogenation of aromatic chlorides with $NaBH_4$ in the presence of Ni(0) catalysts, 246
Nickel complexes
cooperative oxidation of edta by Ni(III) and dioxygen. A pulse radiolysis study, 46
tuning the fluorous partition coefficients of organometallic complexes. The synthesis and characterization of $[\eta^5\text{-}C_5H_4CH_2CH_2\text{-}(CF_2)_9CF_3]Rh(CO)L$ (L = CO or $P[CH_2CH_2(CF_2)_5CF_3]_3$) and $Cl_2Ni\{P[CH_2CH_2(CF_2)_5CF_3]_3\}_2$, 197
preparation, NOESY characterisation and structure of $[Ni(N_3\text{-}macrocycle)(hp)]ClO_4$: the first crystallographic characterised mononuclear nickel complex containing the 2-pyridonate (hp) ligand, 267
synthesis and characterisation of alkynylacetal and alkynylaldehyde derivatives of Ni(II) and Fe(II); the X-ray crystal structure of $Ni(\eta^5\text{-}C_5H_5)(PPh_3)C{\equiv}CCH(OEt)_2$, 343
$[Ni(CN)_2 \cdot 2Me_3SnCN \cdot (nBu_4N)OH]$: a layered, supramolecular assembly containing the earlier described, macrocyclic building block $[\{(Me_3Sn)_2OH\}_2\{\mu\text{-}(NC)_2Ni(CN)_2\}_2]^{2-}$, 346
Ni(II) and Pd(II) complexes of camphor-derived diazadiene ligands: steric bulk tuning and ethylene polymerization, 431
Nitrato complexes
synthesis and structural investigation of tris(tetra-n-butylammonium)-diisothiocyanatotetranitratocerinate(III), 217
Nitrido complexes
the existence of $[ReNF_4]^-$ — an EPR study, 141
synthesis, structure and EPR spectra of $(NBu_4)_2[(OH_2)\text{-}Br_4ReNReBr_4NReBr_4(OH_2)]$, 213
Nitromethyl complexes
a platinum(II) complex containing carbon-bonded 'nitromethane': $[Pt(CH_2NO_2)(2,2':6',2''\text{-terpyridine})]^+$, 61
Nitrosyls
X-band, Q-band EPR and EHT-MO calculations on $[Re^{II}(NO)\text{-}Cl_2(OPPh_3)_3][ReO_4]$, 389
N,O-ligand complexes
synthesis and structure characterization of the trinuclear $[AlMe_2]_2\text{-}[(OCH_2C_6H_4\text{-}2\text{-}NH)_2AlMe]$ complex derived from $AlMe_3$ and 2-(hydroxymethyl)aniline, 182

Octahedral coordination geometry
the preparation and X-ray crystal structure of $[Co(Ph_2SNH)_6]Cl_2$, a homoleptic sulfimide complex exhibiting cooperative, directed hydrogen bonds between cations and anions, 249
Olefin polymerization
Ni(II) and Pd(II) complexes of camphor-derived diazadiene ligands: steric bulk tuning and ethylene polymerization, 431
Optical charge transfer
optical metal-to-ligand charge transfer in ethylxanthato-(tetracarbonyl)rhenium(I), 49
Organotin hydroxide complexes
$[Ni(CN)_2 \cdot 2Me_3SnCN \cdot (nBu_4N)OH]$: a layered, supramolecular assembly containing the earlier described, macrocyclic building block $[\{(Me_3Sn)_2OH\}_2\{\mu\text{-}(NC)_2Ni(CN)_2\}_2]^{2-}$, 346
Organyl complexes
$[Y\{2,6\text{-}(C_5H_4CH_2)_2C_5H_3N\}(\mu\text{-}OH)]_2$: a dinuclear 5-*ansa*-yttrocene hydroxide containing the 2,6-dimethylenepyridyl bridge, 424
Osmium complexes
photoredox reaction of (*p*-dimethylaminopyridine)osmium(VIII)-tetroxide induced by ligand-to-metal charge transfer excitation, 7
C–F bond activation in perfluorobenzothiolate compounds of Os(III). X-ray structures of $[Os(SC_6F_4(F\text{-}2))(SC_6F_5)_2(PMe_2Ph)_2]$, $[Os(SC_6F_5)_2(o\text{-}S_2C_6F_4)(PMe_2Ph)]$ and $[Os(C_6F_5)_2\text{-}(o\text{-}S_2C_6F_4)(PMe_2Ph)_2]$, 273
structural characterization of monodentate coordination of the chiral diphosphine BINAP, 302
interaction of two equivalent electron transfer/atom transfer centers via 2,2′-bipyrimidine as bridging ligand, 305
Oxaborane cluster
polyhedral oxaplatinaborane chemistry: characterisation of [9,9-$(PMe_2Ph)_2$-*arachno*-9,6-$PtOB_8H_{10}$] and its metallaborane non-oxa cognate [6,6-$(PMe_2Ph)_2$-*arachno*-6-PtB_9H_{11}-9-(PMe_2Ph)], 19
Oxalato complexes
inversion of stereoselectivity in the association between tris(oxalato)cobaltate(III) and bovine serum albumin by the addition of dioxane to aqueous solutions, 77
Oxidation catalyst
syntheses of mixed-ligand ruthenium(II) complexes with a terpyridine or a tris(pyrazolyl)methane and a bidentate ligand: their application for catalytic hydroxylation of alkanes, 299
Oxinate complexes
photoluminescence of 8-quinolinato(tetracarbonyl)rhenium(I), 398
Oxo-bridged complexes
a novel series of asymmetric trinuclear M(III) complexes (M = Ti, V, Cr, Mn, Fe, Co) with the $[M_3O_2]^{6+}$ core by a deoximation reaction exemplified by the V(III) complex, 39
preorganization of iron centers for the activation of molecular dioxygen, 71

Oxocluster complexes
synthesis and structural identification of undecaoxotetramethoxotetrapyridinetetramolybdenum(V)molybdenum(VI) · methanol, 161
Oxo complexes
expansion of the '3 + 1' concept of oxorhenium-thiolate chemistry to cationic and binuclear complexes, 209
molybdenum(V) and molybdenum(IV) complexes with trifluorothioacetylacetone. X-ray structure of $[Mo_2O_3\{CF_3C(O)CHC(S)CH_3\}_4]$, 237
Oxometalate complexes
wrapping oxometalates with macrocyclic ligands: the decavanadate–cryptand system, 111
Oxovanadium compounds
the first oxometalate borophosphate polyanion: hydrothermal synthesis and structure of $(H_3NCH_2CH_2NH_3)_2[Na(VO)_{105}] \cdot 22.5H_2O$, 4

Palladium clusters
synthesis and structure of pentanuclear clusters bridged by tellurido ions, 325
Palladium complexes
the unprecedented transformation of a sterically crowded cyclopalladated secondary benzylamine including $(sp^3)C–C(sp^3)$ bond activation under mild conditions, 12
structural impact of *cis*-1,2-bis(diphenylphosphino)ethene on the first hexanuclear palladium(II)–silver(I) complex with triply-bridging sulfide ligands, 185
highly selective hydrocarboxylation of styrene with oxalic acid or water using palladium *ortho*-amino arenethiolates with intramolecular coordinating nitrogen Lewis bases, 295
cyclometallated compounds. XII. Syntheses of two new doubly-cyclometallated compounds, 358
base-catalyzed dehydrogenation of palladium(II) amino to imino complexes, 372
Ni(II) and Pd(II) complexes of camphor-derived diazadiene ligands: steric bulk tuning and ethylene polymerization, 431
bis(tetraphenylphosphonium)[bis(1,2-diseleno-squarato)palladate(II)], the first selenosquarato complex, 449
Pentacoordinate complexes
preparation, NOESY characterisation and structure of $[Ni(N_3\text{-macrocycle})(hp)]ClO_4$: the first crystallographic characterised mononuclear nickel complex containing the 2-pyridonate (hp) ligand, 267
Perfluorobenzothiolate complexes
C–F bond activation in perfluorobenzothiolate compounds of Os(III). X-ray structures of $[Os(SC_6F_4(F\text{-}2))(SC_6F_5)_2(PMe_2Ph)_2]$, $[Os(SC_6F_5)_2(o\text{-}S_2C_6F_4)(PMe_2Ph)]$ and $[Os(C_6F_5)_2(o\text{-}S_2C_6F_4)(PMe_2Ph)_2]$, 273
Phosphate compounds
direct hydrothermal synthesis of zirconium phosphate and zirconium arsenate with a novel basic layered structure in alkaline media, 206
Phosphate triester
a metallomicelle catalysed hydrolysis of a phosphate triester, a phosphonate diester and *O*-isopropyl methylfluorophosphonate (Sarin), 228
Phosphinothiol complexes
stabilisation of Au^{III} and Au^{I} in the same complex molecule by a tridentate phosphinodithiolate ligand. Structures of $[Au^{III}LCl]$ and $[Au^{I}L_2Au^{III}]$ $(L = \{PhP(C_6H_3S\text{-}2\text{-}SiMe_3\text{-}3)_2\}^{2-})$, 469
Photochemistry
photoredox reaction of (*p*-dimethylaminopyridine)osmium(VIII)-tetroxide induced by ligand-to-metal charge transfer excitation, 7
a platinum(II) complex containing carbon-bonded 'nitromethane': $[Pt(CH_2NO_2)(2,2':6',2''\text{-terpyridine})]^+$, 61
photochemical hydrogen transfer from bis(i-propylcyclopentadienyl) tungsten dihydride to 9,10-phenanthrenequinone induced by outer sphere charge transfer excitation, 200
Photoconductivity
electronic transport in phenyl-substituted polygermane homopolymers and copolymers with polygermanes and polysilanes, 289
Photoluminescence
photoluminescence of 8-quinolinato(tetracarbonyl)rhenium(I), 398
Photolysis
photoreduction of mercury(II) in aqueous solution in the presence of cyclohexene. Hydroxomercuration and two-stage photolysis, 270
Platinum clusters
synthesis and structure of pentanuclear clusters bridged by tellurido ions, 325
Platinum complexes
polyhedral oxaplatinaborane chemistry: characterisation of $[9,9\text{-}(PMe_2Ph)_2\text{-}arachno\text{-}9,6\text{-}PtOB_8H_{10}]$ and its metallaborane non-oxa cognate $[6,6\text{-}(PMe_2Ph)_2\text{-}arachno\text{-}6\text{-}PtB_9H_{11}\text{-}9\text{-}(PMe_2Ph)]$, 19
a platinum(II) complex containing carbon-bonded 'nitromethane': $[Pt(CH_2NO_2)(2,2':6',2''\text{-terpyridine})]^+$, 61
synthesis and characterisation of bis(ferrocenylethynyl) complexes of platinum(II)A re-investigation of their electrochemical behaviour, 239
a binuclear platinum(II) complex using *trans*-1,2-diaminocyclobutane as a bridging ligand, 314
synthesis, molecular dynamics and electronic structure of a stable platinum α-carbonyl diazoalkane complex, 350
reversible hydrolysis of $[PtCl(dien)]^+$ and $[PtCl(NH_3)_3]^+$. Determination of the rate constants using UV spectrophotometry, 439
differential reactivity of S–H bonds towards platinum(0). Direct synthesis of a low symmetry platinum(II) complex with hydrido, phosphine and *N*,*S*-cysteinato ethyl ester ligands, 457
palladium(II) complexes with Pd_2S_2 rings. Synthesis and theoretical characterization of $[Pd_2(dppe)_2(\mu\text{-}S)_2]$ and X-ray characterization of $[Pd_3(dppe)_3(\mu_3\text{-}S)_2]Cl_2$, 466
Platinum(IV) complexes
synthesis and structure of $[Pt(CH{=}CI\text{–}CH_2OCH_3)_2(I)_2]$ as possible intermediate of catalytic alkynes conversion reaction into diiodo-substituted dienes, 411
Polyalkylated ferricenium nitrate
rapid and selective redox-recyclable anion-exchange materials containing polyalkylated ferricenium anion-exchange sites, 435
Polyanion compounds
the first oxometalate borophosphate polyanion: hydrothermal synthesis and structure of $(H_3NCH_2CH_2NH_3)_2[Na(VO)_{105}] \cdot 22.5H_2O$, 4
Polygermane copolymers
electronic transport in phenyl-substituted polygermane homopolymers and copolymers with polygermanes and polysilanes, 289
Polygermane homopolymers
electronic transport in phenyl-substituted polygermane homopolymers and copolymers with polygermanes and polysilanes, 289
Polysilane copolymers
electronic transport in phenyl-substituted polygermane homopolymers and copolymers with polygermanes and polysilanes, 289
Polytelluride complexes
a novel organometallic Re/Te compound. Synthesis and X-ray crystal structure of the complex $[Re(CO)_3(PEt_3)_2Te_2Re(CO)_3(PEt_3)]_2$, 150
Primary alkyl halides
kinetic studies of reactions of the stannyl anion with primary alkyl halides by a stopped-flow technique, 386
Propargyl complexes
an unusual reaction of $Rh(SbPh_3)_3(CO)Cl$ with propargyl halides: the formation of rhodiacyclopent-3-ene-2-one complexes, 446
cis-PTA complex of Pt(II)
synthesis and characterisation of water soluble Pt(II) complexes of 1,3,5-triaza-7-phosphaadamantane (PTA). Crystal and molecular structure of $\{cis\text{-}[PtCl_2(PTA)_2]\}_2 \cdot H_2O$, 415

PTA ligands
synthesis and characterisation of water soluble Pt(II) complexes of 1,3,5-triaza-7-phosphaadamantane (PTA). Crystal and molecular structure of {*cis*-[$PtCl_2(PTA)_2$]}$_2\cdot H_2O$, 415
^{195}Pt NMR
synthesis and structure of [$Pt(CH{=}CI{-}CH_2OCH_3)_2(I)_2$] as possible intermediate of catalytic alkynes conversion reaction into diiodo-substituted dienes, 411
^{31}P NMR spectroscopy
synthesis and characterisation of water soluble Pt(II) complexes of 1,3,5-triaza-7-phosphaadamantane (PTA). Crystal and molecular structure of {*cis*-[$PtCl_2(PTA)_2$]}$_2\cdot H_2O$, 415
Pulse radiolysis
cooperative oxidation of edta by Ni(III) and dioxygen. A pulse radiolysis study, 46
Pyridine complexes
photoredox reaction of (*p*-dimethylaminopyridine)osmium(VIII)-tetroxide induced by ligand-to-metal charge transfer excitation, 7
synthesis and structural identification of undecaoxotetramethoxotetrapyridinetetramolybdenum(V)molybdenum(VI)·methanol, 161
Pyridine ligand complexes
a ribbon-like metallopolymer from 1,4-bis(2-pyridyl)buta-1,3-diyne and silver(I) nitrate, 260
Pyridonate complexes
preparation, NOESY characterisation and structure of [Ni(N_3-macrocycle)(hp)]ClO_4: the first crystallographic characterised mononuclear nickel complex containing the 2-pyridonate (hp) ligand, 267

Q-band EPR
X-band, Q-band EPR and EHT-MO calculations on [$Re^{II}(NO)Cl_2(OPPh_3)_3$][$ReO_4$], 389
Quadruply bonded complexes
an unprecedented tetranuclear complex containing two quadruply bonded Mo_2^{4+} units joined by two μ-OH groups, 109
2,2′:6′,2″-Quaterpyridine complexes
diastereoselective formation of chiral helicates, 80

Regioselectivity
highly selective hydrocarboxylation of styrene with oxalic acid or water using palladium *ortho*-amino arenethiolates with intramolecular coordinating nitrogen Lewis bases, 295
Rhenium complexes
optical metal-to-ligand charge transfer in ethylxanthato-(tetracarbonyl)rhenium(I), 49
the existence of [$ReNF_4$]$^-$ — an EPR study, 141
a novel organometallic Re/Te compound. Synthesis and X-ray crystal structure of the complex [$Re(CO)_3(PEt_3)_2Te_2Re(CO)_3(PEt_3)$]$_2$, 150
EPR evidence of tetrahalogeno(triphenylmethylimido)rhenium(VI) complexes [$Re\{NC(C_6H_5)_3\}X_4$] (X = Cl, Br), 203
expansion of the '3 + 1' concept of oxorhenium-thiolate chemistry to cationic and binuclear complexes, 209
synthesis, structure and EPR spectra of $(NBu_4)_2$[$(OH_2)Br_4ReNReBr_4NReBr_4(OH_2)$], 213
X-band, Q-band EPR and EHT-MO calculations on [$Re^{II}(NO)Cl_2(OPPh_3)_3$][$ReO_4$], 389
photoluminescence of 8-quinolinato(tetracarbonyl)rhenium(I), 398
a quadruply-bonded dirhenium complex bridged by two N^1/N^6 adenate ligands, 475
Rhodium complexes
anti-{2,7-dimethyl-*as*-indacene-diide[M(COD)]$_2$} complexes (M = Rh(I), Ir(I)). Molecular conformations assisted by C–H···arene intramolecular π-hydrogen bonds, 15
tuning the fluorous partition coefficients of organometallic complexes. The synthesis and characterization of [η^5-$C_5H_4CH_2CH_2(CF_2)_9CF_3$]Rh(CO)L (L = CO or P[$CH_2CH_2(CF_2)_5CF_3$]$_3$) and $Cl_2Ni\{P[CH_2CH_2(CF_2)_5CF_3]_3\}_2$, 197
an unusual reaction of Rh($SbPh_3$)$_3$(CO)Cl with propargyl halides: the formation of rhodiacyclopent-3-ene-2-one complexes, 446
Ruthenaborane cluster
polyhedral ruthenaborane chemistry. The ten-vertex *isocloso* cluster geometries of [(pcym)RuB_9H_9] and [$(pcym)_2Ru_2B_8H_8$], 375
Ruthenium
a novel pentaruthenium cluster containing three thiazole derived ligands; X-ray structure of [$(Ru_3(CO)_9(\mu\text{-H})(\mu_5\text{-}\eta^5\text{-HC=NC=CHS})Ru_2(CO)_4(\mu\text{-H})(\eta^1\text{-HC=NCH=CHS})(\mu\text{-2,3-}\eta^3\text{-C=NCH=CHS})$], 402
Ruthenium complexes
a new tris-diimine ruthenium(II) derivative: nucleophilic ring opening of coordinated diazafluorenone, 27
dicobalt cluster-functionalized 2,2′:6′,2″-terpyridine ligands: ruthenium(II) complexes with covalently linked $C_2Co_2(CO)_6$ units, 68
rearrangements of 1,3-diynes on ruthenium cluster carbonyls: isolation and structure of $Ru_6(PhCHC_3C_6H_4)_2(CO)_{15}$, 134
Stille cross-coupling of metal complexes, 167
the gas-occlusion properties of dicarboxylate (fumarate, *trans-trans*-muconate and terephthalate) ruthenium(II,III) dinuclear complexes, 177
remarkable effect of Sn(II) co-catalyst in the Ru(II) catalyzed heterocyclization of *N*-terpenyl and *N*-prenylanilines with triethanolamine, 284
syntheses of mixed-ligand ruthenium(II) complexes with a terpyridine or a tris(pyrazolyl)methane and a bidentate ligand: their application for catalytic hydroxylation of alkanes, 299
hydrogenation and isomerization reactions in the addition of carboxylic acids containing alkyne or alkene groups to RuClH(CO)(PPh_3)$_3$, 335
a new bifunctional *para*-toluenesulfonamidophenanthroline-aminoquinoline ligand. Synthesis and characterisation of the corresponding Ru(II) complex, 339
new annelated 2,2′:6′,2″-terpyridines and their Ru(II) complexes: synthesis and characterisation, 354
reactions of iridium and ruthenium arenethiolato complexes with propylene sulfide. X-ray structures of 1-arylthio-2-propanethiolato-*S*,*S*′ iridium and ruthenium complexes, 368

Samaracarborane complexes
the first discrete half-sandwich samaracarborane of a C_2B_4-carborane ligand system, 101
Schiff base complexes
triangular barium macrocyclic complex encapsulating perchlorate ions, 90
synthesis and structural characterization of a triply bridged copper(II)–zinc(II) Schiff base complex with N,O coordination, 152
hydrolysis, oxidation and complexation: the reactions of tin(II) chloride with a tripodal Schiff base ligand, 159
Selective redox-recyclable materials
rapid and selective redox-recyclable anion-exchange materials containing polyalkylated ferricenium anion-exchange sites, 435
Selenophosphate complexes
[$Ce(PSe_4)_4$]$^{9-}$: a highly anionic Ce^{3+} selenophosphate coordination complex, 55
Selenosquarate complexes
bis(tetraphenylphosphonium)[bis(1,2-diseleno-squarato)palladate(II)], the first selenosquarato complex, 449
Self-assembly
self-assembly and X-ray crystal structure of a six-component metallo-supramolecular box, 147
Separation of inorganic ions
rapid and selective redox-recyclable anion-exchange materials containing polyalkylated ferricenium anion-exchange sites, 435

Silaborane complexes
a new silyl substituted *arachno*-tetraborane(8) derivative, 443
Silanes
geminal di(hypersilyl) compounds. The synthesis and structure of dimethylamino-bis[tris(trimethylsilyl)silyl]methane, 128
Silicon migration
can metal clusters assist silicon migrations? An NMR spectroscopic and X-ray crystallographic study, 105
Silver complexes
bis(μ-*N*,*N*′-η^2*N*,*O*-η^2*N*′,*O*′-di(*o*-methoxyphenyl)formamidinato)-disilver(I): an interesting coordination geometry for silver(I) and room temperature fluorescence, 23
self-assembly and X-ray crystal structure of a six-component metallo-supramolecular box, 147
structural impact of *cis*-1,2-bis(diphenylphosphino)ethene on the first hexanuclear palladium(II)–silver(I) complex with triply-bridging sulfide ligands, 185
monomeric T-shaped planar silver(I) carboxylate and silver(I) halide complexes, 254
a ribbon-like metallopolymer from 1,4-bis(2-pyridyl)buta-1,3-diyne and silver(I) nitrate, 260
Sodium borohydride
hydrodehalogenation of aromatic chlorides with $NaBH_4$ in the presence of Ni(0) catalysts, 246
Sodium complexes
chloranilate bridged sodium chains, 418
Sodium compounds
novel arrangement of methyl carbonate units: X-ray crystal structure of sodium methyl carbonate, 131
Solvent effect
inversion of stereoselectivity in the association between tris(oxalato)cobaltate(III) and bovine serum albumin by the addition of dioxane to aqueous solutions, 77
Spectroelectrochemistry
interaction of two equivalent electron transfer/atom transfer centers via 2,2′-bipyrimidine as bridging ligand, 305
Stability constants
the determination of complex stabilities with nearly insoluble host molecules. Complexation of some transition and heavy metal cations with dibenzo-18-crown-6 in aqueous solution, 292
Stannyl anion
kinetic studies of reactions of the stannyl anion with primary alkyl halides by a stopped-flow technique, 386
Stark Effect spectra
theory of the Stark Effect spectral lineshape for a delocalized mixed-valence complex, 137
Stereoselective interactions
geometric and diastereometric effects on ion association of bis(diethylenetriamine)cobalt(III) complexes with (amino-acidato)bis(oxalato)cobaltate(III) anions, 392
Stereoselectivity
inversion of stereoselectivity in the association between tris(oxalato)cobaltate(III) and bovine serum albumin by the addition of dioxane to aqueous solutions, 77
Stille coupling
Stille cross-coupling of metal complexes, 167
Stopped-flow technique
kinetic studies of reactions of the stannyl anion with primary alkyl halides by a stopped-flow technique, 386
Structural characterization
a ferric molybdenum phosphate with a tunnel: hydrothermal synthesis and structure of $(NH_3CH_2CH_2NH_3)_2 \cdot (NH_3CH_2CH_2NH_2)_3 \cdot Na \cdot [Fe_2Mo_{12}O_{30}(PO_4)(HPO_4)_4(H_2PO_4)_3] \cdot 7H_2O$, 382
Sulfide complexes
structural impact of *cis*-1,2-bis(diphenylphosphino)ethene on the first hexanuclear palladium(II)–silver(I) complex with triply-bridging sulfide ligands, 185
palladium(II) complexes with Pd_2S_2 rings. Synthesis and theoretical characterization of $[Pd_2(dppe)_2(\mu\text{-}S)_2]$ and X-ray characterization of $[Pd_3(dppe)_3(\mu_3\text{-}S)_2]Cl_2$, 466
Sulfur-nitrogen complexes
preparation and structural studies of $[Mo(N_3S_2)\text{-}\{R_2(O)PNP(S)R_2\}_2]$, 143
Sulphide complexes
polymeric ternary metal thiols. I. Products from reaction of Cu(II) with MoS_4^{2-}, 460
Supramolecular chemistry
Stille cross-coupling of metal complexes, 167
Supramolecular complexes
self-assembly and X-ray crystal structure of a six-component metallo-supramolecular box, 147
Synthesis
a ferric molybdenum phosphate with a tunnel: hydrothermal synthesis and structure of $(NH_3CH_2CH_2NH_3)_2 \cdot (NH_3CH_2CH_2NH_2)_3 \cdot Na \cdot [Fe_2Mo_{12}O_{30}(PO_4)(HPO_4)_4(H_2PO_4)_3] \cdot 7H_2O$, 382

Telluride clusters
synthesis and structure of pentanuclear clusters bridged by tellurido ions, 325
Terpyridine complexes
dicobalt cluster-functionalized 2,2′:6′,2″-terpyridine ligands: ruthenium(II) complexes with covalently linked $C_2Co_2(CO)_6$ units, 68
Tetranuclear complexes
preorganization of iron centers for the activation of molecular dioxygen, 71
an unprecedented tetranuclear complex containing two quadruply bonded Mo_2^{4+} units joined by two μ-OH groups, 109
Thallium complexes
hydrolysis of thiamine (vitamin B_1) in the presence of dimethylthallium(III) hydroxide. The novel crystal structure of a thiamine thiolate derivative, 93
Theoretical calculations
palladium(II) complexes with Pd_2S_2 rings. Synthesis and theoretical characterization of $[Pd_2(dppe)_2(\mu\text{-}S)_2]$ and X-ray characterization of $[Pd_3(dppe)_3(\mu_3\text{-}S)_2]Cl_2$, 466
Thermal rearrangements
electronic effects on thermal rearrangement in the Ziegler pyrolysis reaction, 222
Thiamine complexes
hydrolysis of thiamine (vitamin B_1) in the presence of dimethylthallium(III) hydroxide. The novel crystal structure of a thiamine thiolate derivative, 93
Thiazole
a novel pentaruthenium cluster containing three thiazole derived ligands; X-ray structure of $[(Ru_3(CO)_9(\mu\text{-}H)(\mu_5\text{-}\eta^5\text{-}HC{=}NC{=}CHS)Ru_2(CO)_4(\mu\text{-}H)(\eta^1\text{-}HC{=}NCH{=}CHS)\text{-}(\mu\text{-}2,3\text{-}\eta^3\text{-}C{=}NCH{=}CHS)]$, 402
Thiiranes
reactions of iridium and ruthenium arenethiolato complexes with propylene sulfide. X-ray structures of 1-arylthio-2-propanethiolato-*S*,*S*′ iridium and ruthenium complexes, 368
Thioether complexes
reactions of iridium and ruthenium arenethiolato complexes with propylene sulfide. X-ray structures of 1-arylthio-2-propanethiolato-*S*,*S*′ iridium and ruthenium complexes, 368
Thiolate complexes
synthesis and structural characterization of the neutral indium(III) thiolate species $In\{(SCH_2CH_2)_3N\}$, 164
expansion of the '3 + 1' concept of oxorhenium-thiolate chemistry to cationic and binuclear complexes, 209
Thiolato complexes
reactions of iridium and ruthenium arenethiolato complexes with propylene sulfide. X-ray structures of 1-arylthio-2-propanethiolato-*S*,*S*′ iridium and ruthenium complexes, 368

Thiosemicarbazone complexes
reactions of dichloro[2-(dimethylaminomethyl)phenyl-C^1,N]gold(III), [Au(damp-C^1,N)Cl_2], with aromatic thiosemicarbazones. Structures and spectroscopical data of the first gold(III) thiosemicarbazone complexes, 251
Thiourea compounds
N-(diethylaminothiocarbonyl)ferrocenecarbimidoyl chloride, a versatile reagent, 472
Tin complexes
hydrolysis, oxidation and complexation: the reactions of tin(II) chloride with a tripodal Schiff base ligand, 159
remarkable effect of Sn(II) co-catalyst in the Ru(II) catalyzed heterocyclization of *N*-terpenyl and *N*-prenylanilines with triethanolamine, 284
Titanium complexes
further study of the agostic molecule, $TiCl_3(dmpe)C_2H_5$, 195
Transition metal complexes
a novel series of asymmetric trinuclear M(III) complexes (M = Ti, V, Cr, Mn, Fe, Co) with the $[M_3O_2]^{6+}$ core by a deoximation reaction exemplified by the V(III) complex, 39
Triazacyclohexane complexes
the chemistry of 1,3,5-triazacyclohexane complexes, 7. Synthesis and structure determination of ethyl(-1,3,5-tribenzyl(-1,3,5-triazacyclohexane))zinc(II)-hexafluorophosphate, 263
Triethylbromogermane
a new way to Si–Si, Ge–Ge bonds and diisopropyldihalotellurides, 379
Trimethylhalosilanes
a new way to Si–Si, Ge–Ge bonds and diisopropyldihalotellurides, 379
Trinuclear complexes
tuning metal-to-metal distance in linear trichromium units, 1
a novel series of asymmetric trinuclear M(III) complexes (M = Ti, V, Cr, Mn, Fe, Co) with the $[M_3O_2]^{6+}$ core by a deoximation reaction exemplified by the V(III) complex, 39
self-assembly of tripodal tris(diphenylphosphinito)fluoroborate ligands in trinuclear gold(I) complexes, 115
Triple-cluster fusion
macropolyhedral boron-containing cluster chemistry. Isolation and characterisation of the 27-vertex contiguous triple-cluster species $[(PMe_2Ph)PtB_{26}H_{26}(PMe_2Ph)]$, 365
Tripodal P-ligand complexes
self-assembly of tripodal tris(diphenylphosphinito)fluoroborate ligands in trinuclear gold(I) complexes, 115
Tripodal pyridyl ligand complexes
a new class of derivatisable tripodal ligand. X-ray crystal structure of $[Cu(SO_4)(tpm)(H_2O)]$ (tpm = 1,1,1-tris(2-pyridyl)-methylamine), 43
Trithiocyanuric acid
the first structural studies on trithiocyanuric acid: the solid state structures of its HMPA adduct and its mono-lithiated HMPA complex, 58
T-shaped complexes
monomeric T-shaped planar silver(I) carboxylate and silver(I) halide complexes, 254
Tungsten complexes
photochemical hydrogen transfer from bis(i-propylcyclopentadienyl) tungsten dihydride to 9,10-phenanthrenequinone induced by outer sphere charge transfer excitation, 200
Tungston complexes
an unusual ready inversion of sp^3 skeletal carbon in an organometallic complex, 309
Tunnel structure
a ferric molybdenum phosphate with a tunnel: hydrothermal synthesis and structure of $(NH_3CH_2CH_2NH_3)_2 \cdot (NH_3CH_2CH_2NH_2)_3 \cdot Na \cdot [Fe_2Mo_{12}O_{30}(PO_4)(HPO_4)_4(H_2PO_4)_3] \cdot 7H_2O$, 382

UV spectrophotometry
reversible hydrolysis of $[PtCl(dien)]^+$ and $[PtCl(NH_3)_3]^+$. Determination of the rate constants using UV spectrophotometry, 439

Vanadium complexes
wrapping oxometalates with macrocyclic ligands: the decavanadate–cryptand system, 111
Vibronic coupling
theory of the Stark Effect spectral lineshape for a delocalized mixed-valence complex, 137

Water soluble Pt(II) complexes
synthesis and characterisation of water soluble Pt(II) complexes of 1,3,5-triaza-7-phosphaadamantane (PTA). Crystal and molecular structure of $\{cis\text{-}[PtCl_2(PTA)_2]\}_2 \cdot H_2O$, 415

Xanthato complexes
optical metal-to-ligand charge transfer in ethylxanthato-(tetracarbonyl)rhenium(I), 49
X-band EPR
X-band, Q-band EPR and EHT-MO calculations on $[Re^{II}(NO)Cl_2(OPPh_3)_3][ReO_4]$, 389

Ytterbium complexes
synthesis, structure and high catalytic activity in the Diels–Alder reaction of ytterbium(III) and yttrium(III) bis(trifluoromethanesulfonyl)amide complexes, 10
Yttrium complexes
synthesis, structure and high catalytic activity in the Diels–Alder reaction of ytterbium(III) and yttrium(III) bis(trifluoromethanesulfonyl)amide complexes, 10
$[Y\{2,6\text{-}(C_5H_4CH_2)_2C_5H_3N\}(\mu\text{-}OH)]_2$: a dinuclear 5-*ansa*-yttrocene hydroxide containing the 2,6-dimethylenepyridyl bridge, 424

Ziegler pyrolysis reaction
electronic effects on thermal rearrangement in the Ziegler pyrolysis reaction, 222
Zinc complexes
a metal-assisted conversion of CO_2 and imidazole to carboxylate: synthesis and structural characterisation of the zinc carboxylate {bis(1-methyl-2-imidazolecarboxylato)(1-methylimidazole)}-zinc(II), [Zn(1-Me-2-Imc)$_2$(1-MeIm)], 30
synthesis and structural characterisation of the zinc carboxylate *catena*-[monoaqua(bicyclo[2,2,1]hept-5-ene-*cis*-2,3-dicarboxylato)bis(1-methylimidazole)zinc(II)], 170
the chemistry of 1,3,5-triazacyclohexane complexes, 7. Synthesis and structure determination of ethyl(-1,3,5-tribenzyl(-1,3,5-triazacyclohexane))zinc(II)-hexafluorophosphate, 263
Zirconium compounds
direct hydrothermal synthesis of zirconium phosphate and zirconium arsenate with a novel basic layered structure in alkaline media, 206